




# FIREPLACE/LARGE COLUMNS & POSTS

ROUND • SQUARE • OCTAGON



★★★ *MADE IN THE USA* ★★★

Our **Fireplace, Large Columns & Posts Collection** from Oak Pointe, includes finely crafted columns and posts in round, square and octagon milling options. All components in this collection are for interior use only.

WHERE TRADITION AND INNOVATION CREATE EXCELLENCE

Custom components are an integral part of our business. Call for pricing on your designs for interior and exterior use.



## Columns Selection Guide

See the samples and the pages referred to below for available milling options. Milling options may vary in appearance as the column width changes. Intermediate and smaller sizes than those listed are available. Also see our fireplace columns for smaller standard sizes. All columns and posts are stain grade hardwoods and non-weight bearing for interior use only.

**For Fireplace Columns see pages 288-291.**



Tapered/No Tapered  
Pages 284-285

Octagon  
Page 286

Square 35360  
Page 287

Square Tapered 35360T  
Page 286



Arts & Crafts  
Page 155

Barcelona  
Page 143

Belmont  
Page 119

Bristol  
Page 165

Cambridge  
Page 107

Carolina  
Page 169

Challis  
Page 173

Clifton Park  
Page 111

Colonial  
Page 183



Farm 32200  
Page 87



Farm 32205  
Page 87



Federal  
Page 103



Hampton  
Page 179



Highland  
Page 131



Hudson  
Page 123



Lisbon  
Page 150



Milan  
Page 127



Mission (Sq)  
Page 161



Regency  
Page 115



Traditional 34040  
Page 189



Traditional 35035  
Page 189



Traditional 35067  
Page 189



Victoria 32715  
Page 98



Victoria 33760  
Page 99



Vienna  
Page 147




**Tapered Round Column Dimensions (Model 30000)**

| Column Size | Shaft Dimensions *  |                  |                   |                 |                    |                     | Standard Lengths (including cap & base) |
|-------------|---------------------|------------------|-------------------|-----------------|--------------------|---------------------|---|
|             | Bottom Diameter "A" | Top Diameter "B" | Below Flute "N" + | Above Flute "O" | Above Neckmold "T" | Cap & Base Included |   |
| 550         | 5½"                 | 4½"              | 2"                | 1"              | 2½"                | Tuscan              | 6', 7', 8'                              |
| 750         | 7½"                 | 6½"              | 2"                | 1"              | 2½"                | Tuscan              | 6', 7', 8', 9', 10'                     |
| 950         | 9½"                 | 8¼"              | 2"                | 1"              | 2½"                | Tuscan              | 6', 7', 8', 9', 10'                     |
| 1150        | 11½"                | 10½"             | 2"                | 1"              | 2½"                | Tuscan              | 8', 9', 10'                             |

**NO Tapered Round Column Dimensions (Model 36000)**



| Column Size | Shaft Dimensions *  |                  |                   |                 |                     | Standard Lengths (including cap & base) |
|-------------|---------------------|------------------|-------------------|-----------------|---------------------|---|
|             | Bottom Diameter "A" | Top Diameter "B" | Below Flute "N" + | Above Flute "O" | Cap & Base Included |   |
| 550         | 5½"                 | 5½"              | 2"                | 2'              | 2 Tuscan Bases      | 6', 7', 8'                              |
| 750         | 7½"                 | 7½"              | 2"                | 2'              | 2 Tuscan Bases      | 6', 7', 8', 9', 10'                     |
| 950         | 9½"                 | 9½"              | 2"                | 2'              | 2 Tuscan Bases      | 6', 7', 8', 9', 10'                     |
| 1150        | 11½"                | 11½"             | 2"                | 2'              | 2 Tuscan Bases      | 8', 9', 10'                             |

\* Dimensions shown are after final field trimming of shaft bottom  
+ After final field trimming  
Neckmold on No Tapered Columns is not standard, but is available as an option




**Tuscan Cap Dimensions**

| Column Size | Square Width "L" | Square Height "K" | Round Height "J" | Round Width "M" | Overall Height "H" | Model Number |
|-------------|------------------|-------------------|------------------|-----------------|--------------------|--------------|
| 550         | 7¼"              | 1¾"               | 1¼"              | 4¾"             | 3"                 | CAPTUS550    |
| 750         | 8¾"              | 1¾"               | 1¼"              | 6¾"             | 3"                 | CAPTUS750    |
| 950         | 11"              | 1¾"               | 1¼"              | 8½"             | 3"                 | CAPTUS950    |
| 1150        | 13¼"             | 1¾"               | 1¼"              | 10¾"            | 3"                 | CAPTUS1150   |





**Tuscan Base Dimensions**

| Column Size | Plinth Width "C" | Plinth Height "D" | Round Height "E" | Round Width "F" | Overall Height "R" | Model Number |
|-------------|------------------|-------------------|------------------|-----------------|--------------------|--------------|
| 550         | 9" Sq            | 2"                | 2¾"              | 5¾"             | 4¾"                | BASETUS550   |
| 750         | 11" Sq           | 2"                | 2¾"              | 7¾"             | 4¾"                | BASETUS750   |
| 950         | 13" Sq           | 2"                | 2¾"              | 9¾"             | 4¾"                | BASETUS950   |
| 1150        | 15" Sq           | 2"                | 2¾"              | 11¾"            | 4¾"                | BASETUS1150  |




**Attic Base Dimensions (Optional)**

| Column Size | Plinth Width "CC" | Plinth Height "DD" | Round Height "EE" | Round Width "FF" | Overall Height "RR" | Model Number |
|-------------|-------------------|--------------------|-------------------|------------------|---------------------|--------------|
| 550         | 9" Sq             | 2½"                | 4"                | 5¾"              | 6½"                 | BASEATT550   |
| 750         | 11" Sq            | 2½"                | 4"                | 7¾"              | 6½"                 | BASEATT750   |
| 950         | 13" Sq            | 2½"                | 4"                | 9¾"              | 6½"                 | BASEATT950   |
| 1150        | 15" Sq            | 2½"                | 4"                | 11¾"             | 6½"                 | BASEATT1150  |



**NO Tapered Column**

Available split for pilasters or with biscuits and machined for reassembly around a structural post.



**Tapered Column**

Our Columns have not been tested for their weight bearing ability and therefore are sold as NON-Weight bearing.





Differentiate your home from your neighbor's home, our round tapered and no tapered columns come in a wide variety of milling options. These columns are hollow.

| MILLING OPTIONS       | CODE        |
|-----------------------|-------------|
| Corkscrew             | <b>CS</b>   |
| Doric Flute 12        | <b>DF12</b> |
| Fluted                | <b>F</b>    |
| Flute with Hip        | <b>F2</b>   |
| Reeded                | <b>R</b>    |
| Ribbon 4              | <b>RIB4</b> |
| Rope Twist Right Hand | <b>RTRH</b> |
| Rope Twist 1          | <b>RT1</b>  |
| Twist                 | <b>TW</b>   |
| Twist 1               | <b>TW1</b>  |
| Twist 2               | <b>TW2</b>  |

Shown in 9 1/2" dia. x 96" H




30000-950-96 shown Plain



36000-950-96-DF12 shown Doric Flute 12


No Tapered



36000-950-96-CS shown in Corkscrew No neckmold




30000-950-96-F shown in Fluted




30000-950-96-F2 shown in Flute w/Hip




30000-950-96-R shown in Reeded



Detail of Fluted (F)



Detail of Flute w/Hip (F2)



Detail of Reeded (R)

Shown in 9 1/2" dia. x 96" H



30000-950-96-RIB4 shown in Ribbon 4



30000-950-96-RTRH shown in Rope Twist RH (right hand only)



30000-950-96-RT1 shown in Rope Twist 1



30000-950-96-TW shown in Twist



30000-950-96-TW1 shown in Twist 1



30000-950-96-TW2 shown in Twist 2




\*\*\* MADE IN THE USA \*\*\*

Available with 2 open glue joints to wrap a structural post.

Available split for pilasters or with biscuits and machined for reassembly around a structural post.

**Octagon Series  
NO Tapered Hollow  
Column**




35360T-1000x550-66-FP  
Tuscan Cap & Base



35360T-1000x550-66-FP-SS  
Mission Cap & Base  
Square Sticking



35360T-1000x550-66-RP  
Tuscan Cap & Base



**Square Tapered Hollow  
Column with Panels**  
(Flat or raised panels available in  
single panels only)

**Square Tapered Hollow Column with Panels**

**Dimensions\* (Model 35360T)**

| Column Size                                | 1000    | 1025    | 1200    | 1400   | 1600           |
|--|---------|---------|---------|--------|----------------|
| Bottom Flat to Flat "A"                    | 10"     | 10 1/4" | 12"     | 14"    | 16"            |
| Top Flat to Flat "B"                       | 5 1/2"  | 7 1/2"  | 10"     | 12"    | 9"             |
| Above Panel "O"***                         | 6"      | 6"      | 6"      | 6"     | 6"             |
| Below Panel "N"***                         | 10"     | 10"     | 10"     | 10"    | 10"            |
| Stile "S"***                               | 1 1/2"  | 1 1/2"  | 1 1/2"  | 1 1/2" | 1 1/2"         |
| Standard lengths<br>(including cap & base) | 66"     | 7'      | 6', 10' | 9'     | 58", 6',<br>8' |
| Cap & Base Included                        | Mission |         |         |        |                |


\* Dimensions shown are after final field trimming of shaft bottom. Top and bottom block dimensions are w/Mission Cap/Base, will be 2 1/4" shorter w/Tuscan Cap/Base.

\*\* Face dimensions shown. Columns with Square Sticking: stile & rail faces are 1/4" wider, 1/2" wider for intermediate rails.



**Mission Base (standard) for Square Tapered Columns Dimensions**

|                                       |         |         |         |         |         |
|---------------------------------------|---------|---------|---------|---------|---------|
| Mission Base bottom square width "C"  | 6 7/8"  | 8 7/8"  | 11 3/8" | 13 3/8" | 10 3/8" |
| Mission Base bottom square width "CC" | 11 3/8" | 11 5/8" | 13 3/8" | 15 3/8" | 17 3/8" |




Square Tuscan Base used for Cap      Square Tuscan Base

**Tuscan Base (optional) for Square Tapered Columns Dimensions**

|                                      |         |         |         |         |         |
|--------------------------------------|---------|---------|---------|---------|---------|
| Tuscan Base bottom square width "C"  | 9"      | 11"     | 13 1/2" | 15 1/2" | 12 1/2" |
| Tuscan Base bottom square width "CC" | 13 1/2" | 13 3/4" | 15 1/2" | 17 1/2" | 19 1/2" |

**Octagon Column Dimensions (Model 38000)**


Dimensions shown are after final field trimming of shaft bottom.



38000-950-96

| Column Size | Shaft Dimensions        |                      |                     |   | Model Number  |
|-------------|-------------------------|----------------------|---------------------|---|---------------|
|             | Bottom Flat to Flat "A" | Top Flat to Flat "B" | Cap & Base Included | Standard Lengths (including cap & base) |               |
| 550         | 5 1/2"                  | 5 1/2"               | Tuscan              | 6', 7', 8'                              | BASEOCTUS550  |
| 750         | 7 1/2"                  | 7 1/2"               | Tuscan              | 6', 7', 8', 9', 10'                     | BASEOCTUS750  |
| 950         | 9 1/2"                  | 9 1/2"               | Tuscan              | 6', 7', 8', 9', 10'                     | BASEOCTUS950  |
| 1150        | 11 1/2"                 | 11 1/2"              | Tuscan              | 8', 9', 10'                             | BASEOCTUS1150 |

**Octagon  
Tuscan  
Cap/Base  
Dimensions**



| Column Size | Plinth Width "C" | Plinth Height "D" | Octagon Height "E" | Octagon Width "F" | Overall Height "R" | Model Number  |
|-------------|------------------|-------------------|--------------------|-------------------|--------------------|---------------|
| 550         | 9"               | 2"                | 2 3/4"             | 5 3/4"            | 4 3/4"             | BASEOCTUS550  |
| 750         | 11"              | 2"                | 2 3/4"             | 7 3/4"            | 4 3/4"             | BASEOCTUS750  |
| 950         | 13"              | 2"                | 2 3/4"             | 9 3/4"            | 4 3/4"             | BASEOCTUS950  |
| 1150        | 15"              | 2"                | 2 3/4"             | 11 3/4"           | 4 3/4"             | BASEOCTUS1150 |

# Square No Tapered Hollow Column with Panels



DECORATIVE COLUMNS

★★★ MADE IN THE USA ★★★


## Square No Tapered Hollow Column with Panels Dimensions\* (Model 35360)

| Column Size   | 550        | 750                 | 950                 | 1150        |
|---|------------|---------------------|---------------------|-------------|
| Bottom Width "A"                                    | 5½" Sq     | 7½" Sq              | 9½" Sq              | 11½" Sq     |
| Top Width "B"                                       | 5½" Sq     | 7½" Sq              | 9½" Sq              | 11½" Sq     |
| Above Panel "O"***                                  | 10"        | 10"                 | 10"                 | 10"         |
| Below Panel "N"***                                  | 10"        | 10"                 | 10"                 | 10"         |
| Stile "S"***  | 1½"        | 1½"                 | 2"                  | 2"          |
| Intermediate Rail - 2E**                            | 6"         | 6"                  | 6"                  | 6"          |
| Intermediate Rails - 3E**                           | 3"         | 3"                  | 3"                  | 3"          |
| 2E & 3E Inside Shaft Dimension (for 1 panel - call) | 3⅞" Sq     | 5⅞" Sq              | 7⅞" Sq              | 9⅞" Sq      |
| Standard lengths (including cap & base)             | 6', 7', 8' | 6', 7', 8', 9', 10' | 6', 7', 8', 9', 10' | 8', 9', 10' |
| Cap & Base Included                                 | Mission    |                     |                     |             |


- ▶ Flat or Raised Panels
- ▶ Round or Square Sticking
- ▶ Optional Panel Molding
- ▶ 1 Panel, 2 Even Panels, 3 Even Panels or Your Design
- ▶ Available split for pilasters or 2 open glue joints for wrapping posts

\* Dimensions shown are after final field trimming of shaft bottom. Top and bottom block dimensions are w/Mission Cap/Base, will be 2¼" shorter w/Tuscan Cap/Base.

\*\* Face dimensions shown. Columns with Square Sticking: stile & rail faces are ¼" wider, ½" wider for intermediate rails.





## Square Hollow Column with Panel Examples (See page 161 for square no tapered columns plain and with milling options.)



35360-750-96-FP-SS Mission Cap & Base 1 Flat Panel, Square Sticking  
 35360-750-96-FP-2E Tuscan Cap & Base 2 Even Flat Panels  
 35360-550-96-RP Tuscan Base & Cap 1 Raised Panel  
 35360-750-96-RP-2E Tuscan Base & Cap 2 Even Raised Panels  
 35360-950-96-RP-3E Tuscan Base & Cap 3 Even Raised Panels  
 35360-1150-96-RP Tuscan Base & Cap 1 Raised Panel

Square Hollow Column with Panels (Flat or raised panels available in standard single, 2 even or 3 even panels)



### Square Tuscan Cap/Base Dimensions

### Mission Cap/Base Dimensions

| Plinth Width "C" | Plinth Height "D" | Moulded Height "E" | Moulded Width "F" | Overall Height "R" | Model Number  | Column Size | Width "C" | Height "D" | Model Number |
|------------------|-------------------|--------------------|-------------------|--------------------|---------------|-------------|-----------|------------|--------------|
| 9" Sq            | 2"                | 2¾"                | 5¾"               | 4¾"                | BASESQTUS550  | 550         | 6⅞" Sq    | 2½"        | BASEMIS550   |
| 11" Sq           | 2"                | 2¾"                | 7¾"               | 4¾"                | BASESQTUS750  | 750         | 8⅞" Sq    | 2½"        | BASEMIS750   |
| 13" Sq           | 2"                | 2¾"                | 9¾"               | 4¾"                | BASESQTUS950  | 950         | 10⅞" Sq   | 2½"        | BASEMIS950   |
| 15" Sq           | 2"                | 2¾"                | 11¾"              | 4¾"                | BASESQTUS1150 | 1150        | 12⅞" Sq   | 2½"        | BASEMIS1150  |





## Solid Hardwood Fireplace Columns Selection Guide

Your fireplace will be an outstanding feature to any room with our Decorative Fireplace Columns. Intermediate and smaller sizes than those listed are available. Also see our full-size Decorative Columns for large standard sizes. See the samples and the pages referred to below for available milling options.




52"

|   |                     |                           |                       |                     |                     |                       |                      |                     |
|---|---------------------|---------------------------|-----------------------|---------------------|---------------------|-----------------------|----------------------|---------------------|
| Tapered/<br>No Tapered<br>Pages 290-291 | Octagon<br>Page 291 | Arts & Crafts<br>Page 154 | Barcelona<br>Page 142 | Belmont<br>Page 119 | Bristol<br>Page 165 | Cambridge<br>Page 107 | Carolina<br>Page 169 | Challis<br>Page 173 |
|---|---------------------|---------------------------|-----------------------|---------------------|---------------------|-----------------------|----------------------|---------------------|

Note: "see page numbers" can be found in our catalog Edition 4.0.


### Base and Capital for 36005-200 Fireplace Column

**Round No Tapered**  
36005-200-52-R  
Round NO Tapered  
w/Capital & Attic base



#### Capital Dimensions

| Column Size | Overall Height "HH" | Top Diameter "LL" | Bottom Diameter "MM" | Model Number |
|-------------|---------------------|-------------------|----------------------|--------------|
| 200         | 2¾"                 | 3¼"               | 2¼"                  | CAPITAL200   |



#### Attic Base Dimensions

| Column Size | Plinth Width "CC" | Plinth Height "DD" | Round Height "EE" | Round Width "FF" | Overall Height "RR" | Model Number |
|-------------|-------------------|--------------------|-------------------|------------------|---------------------|--------------|
| 200         | 3¾" Sq            | 1¼"                | 2"                | 2¼"              | 3¼"                 | BASEATT200   |



Clifton Park  
Page 111



Colonial  
Page 183



Farm 22200  
Page 87



Farm 22205  
Page 87



Federal  
Page 103



Hampton  
Page 179



Highland  
Page 131



Hudson  
Page 123



Lisbon  
Page 150



Milan  
Page 127



Mission  
Page 160



Regency  
Page 115



Traditional  
- 24040  
Page 188



Traditional  
- 25035  
Page 188



Traditional  
- 25067  
Page 188



Victoria  
22715  
Page 98



Victoria  
23760  
Page 99



Vienna  
Page 146





Fireplaces have never looked better with these finely milled mantle columns. Intermediate and smaller sizes than those listed are available. Milling options may vary in appearance as the column width changes. On the next page are some of each model in the different available milling options.

| MILLING OPTIONS | CODE        | MILLING OPTIONS | CODE        | MILLING OPTIONS | CODE        |
|-----------------|-------------|-----------------|-------------|-----------------|-------------|
| Barley 2        | <b>BAR2</b> | Flute with Hip  | <b>F2</b>   | Rope Twist LH   | <b>RTLH</b> |
| Corkscrew       | <b>CS</b>   | Reeded          | <b>R</b>    | Rope Twist RH   | <b>RTRH</b> |
| Doric Flute 6   | <b>DF6</b>  | Ribbon 1        | <b>RIB1</b> | Rope Twist 1    | <b>RT1</b>  |
| Doric Flute 12  | <b>DF12</b> | Ribbon 2        | <b>RIB2</b> | Twist           | <b>TW</b>   |
| Fluted          | <b>F</b>    | Ribbon 3        | <b>RIB3</b> | Twist 1         | <b>TW1</b>  |
|                 |             |                 |             | Twist 2         | <b>TW2</b>  |

## Tapered/No Tapered Fireplace Columns


### Fireplace Tapered Round Column (Model 30000)

| Column Size | Shaft Dimensions *  |                  |                   |                 |                    |                     | Standard Lengths (including cap & base) |
|-------------|---------------------|------------------|-------------------|-----------------|--------------------|---------------------|---|
|             | Bottom Diameter "A" | Top Diameter "B" | Below Flute "N" + | Above Flute "O" | Above Neckmold "T" | Cap & Base Included |   |
| 300         | 3"                  | 2½"              | 1/2"              | 1/2"            | 1¼"                | Tuscan              | 52"                                     |
| 450         | 4½"                 | 3¾"              | 1/2"              | 1/2"            | 1¼"                | Tuscan              | 52"                                     |

### Fireplace NO Tapered Round Column (Model 36000)



| Column Size | Shaft Dimensions *  |                  |                   |                 |                     | Standard Lengths (including cap & base) |
|-------------|---------------------|------------------|-------------------|-----------------|---------------------|---|
|             | Bottom Diameter "A" | Top Diameter "B" | Below Flute "N" + | Above Flute "O" | Cap & Base Included |   |
| 300         | 3"                  | 3"               | 1/2"              | 1/2"            | 2 Tuscan Bases      | 52"                                     |
| 450         | 4½"                 | 4½"              | 1/2"              | 1/2"            | 2 Tuscan Bases      | 52"                                     |

\* Dimensions shown are after final field trimming of shaft bottom  
+ After final field trimming  
Neckmold on No Tapered Columns is not standard, but is available as an option




### Tuscan Cap Dimensions

| Column Size | Square Width "L" | Square Height "K" | Round Height "J" | Round Width "M" | Overall Height "H" | Model Number |
|-------------|------------------|-------------------|------------------|-----------------|--------------------|--------------|
| 300         | 4¼"              | 1"                | ¾"               | 2¾"             | 1¾"                | CAPTUS300    |
| 450         | 5½"              | 1"                | ¾"               | 4"              | 1¾"                | CAPTUS450    |




### Tuscan Base Dimensions

| Column Size | Plinth Width "C" | Plinth Height "D" | Round Height "E" | Round Width "F" | Overall Height "R" | Model Number |
|-------------|------------------|-------------------|------------------|-----------------|--------------------|--------------|
| 300         | 4¾"              | 1"                | 1¼"              | 3¼"             | 2¼"                | BASETUS300   |
| 450         | 6¼"              | 1"                | 1¼"              | 4¾"             | 2¼"                | BASETUS450   |




### Attic Base Dimensions (Optional)

| Column Size | Plinth Width "CC" | Plinth Height "DD" | Round Height "EE" | Round Width "FF" | Overall Height "RR" | Model Number |
|-------------|-------------------|--------------------|-------------------|------------------|---------------------|--------------|
| 300         | 4¾"               | 1¼"                | 2"                | 3¼"              | 3¼"                 | BASEATT300   |
| 450         | 6¼"               | 1¼"                | 2"                | 4¾"              | 3¼"                 | BASEATT450   |



Fireplace Tapered Column



Fireplace NO Tapered Column


Also see our full-size Tapered and NO Tapered Columns on pages 284-285.



### Tapered Fireplace Column Examples

30000-300-52


30000-450-52 Shown are examples of just some of the Milling Options available



### Octagon Series




Shown 4½" W x 52" H



38000-450-52

### Octagon Tuscan Cap/Base Dimensions




| BASEOCTUS450       | Dimensions |
|--------------------|------------|
| Plinth Width "C"   | 6¼"        |
| Plinth Height "D"  | 1"         |
| Octagon Height "E" | 1¼"        |
| Octagon Width "F"  | 4¾"        |
| Overall Height "R" | 2¼"        |

### NO Tapered Fireplace Column Examples

36000-300-52 Shown are examples of just some of the Milling Options available

36000-450-52 Shown are examples of just some of the Milling Options available






Standard post size is 5½" wide and 96" high, but they are available in other widths and heights. Our posts have not been tested for their weight bearing ability and therefore are sold as NON-weight bearing. See the samples and the pages referred to below for available milling options. *Additional Post styles shown in our Exterior Collection, pages 295-301. All Oak Pointe posts are available for interior or exterior applications. Always specify exterior when requesting a quote.*

Note: "see page numbers" can be found in our catalog Edition 4.0.



|                           |                     |                     |                       |                      |                     |                          |                      |                 |                     |                          |                     |                      |
|---------------------------|---------------------|---------------------|-----------------------|----------------------|---------------------|--------------------------|----------------------|-----------------|---------------------|--------------------------|---------------------|----------------------|
| Arts & Crafts<br>Page 155 | Belmont<br>Page 119 | Bristol<br>Page 165 | Cambridge<br>Page 107 | Carolina<br>Page 169 | Challis<br>Page 173 | Clifton Park<br>Page 111 | Colonial<br>Page 183 | Farm<br>Page 87 | Federal<br>Page 103 | French Manor<br>Page 270 | Hampton<br>Page 179 | Highland<br>Page 131 |
|---------------------------|---------------------|---------------------|-----------------------|----------------------|---------------------|--------------------------|----------------------|-----------------|---------------------|--------------------------|---------------------|----------------------|



|                    |                   |                     |                     |                   |                                  |                                  |                                  |                              |                              |                       |                     |
|--------------------|-------------------|---------------------|---------------------|-------------------|----------------------------------|----------------------------------|----------------------------------|------------------------------|------------------------------|-----------------------|---------------------|
| Hudson<br>Page 123 | Milan<br>Page 127 | Mission<br>Page 161 | Regency<br>Page 115 | Titan<br>Page 269 | Traditional<br>44040<br>Page 188 | Traditional<br>45035<br>Page 188 | Traditional<br>45067<br>Page 188 | Victoria<br>42715<br>Page 98 | Victoria<br>43760<br>Page 99 | Wiltshire<br>Page 272 | Windsor<br>Page 271 |
|--------------------|-------------------|---------------------|---------------------|-------------------|----------------------------------|----------------------------------|----------------------------------|------------------------------|------------------------------|-----------------------|---------------------|



# OAK POINTE

WHERE TRADITION AND INNOVATION CREATE EXCELLENCE

96 NEW PACE ROAD  
NEWCOMERSTOWN  
OHIO 43832

P 740.498.9820

F 740.498.9821

**GENERAL INQUIRY**

[INFO@STAIRPARTSANDMORE.COM](mailto:INFO@STAIRPARTSANDMORE.COM)

**QUOTE REQUESTS**

[QUOTES@STAIRPARTSANDMORE.COM](mailto:QUOTES@STAIRPARTSANDMORE.COM)

**SUBMIT ORDERS**

[ORDERS@STAIRPARTSANDMORE.COM](mailto:ORDERS@STAIRPARTSANDMORE.COM)

Connect with us on:

