



HANDRAIL FITTINGS




★★★ *MADE IN THE USA* ★★★

WHERE TRADITION AND INNOVATION CREATE EXCELLENCE

Custom components are an integral part of our business. Call for pricing on your designs for interior and exterior use.



Standard Wall Rail Fittings



RAIL	FITTING SERIES	QUARTERTURN	UP EASING	OVER EASING
6038	–	7042	7043	7044
6039	6039xx	603911	603912	603913
6040	–	7023	7024	7025
6041	–	7001	7002	7003
6042	78xx	7811	7812	7813
9300	93xx	9311	9312	9313

See complete line of fittings pages 241-247

Many fittings & options.

Some examples include:

Standard fittings for our 6042 rail. (78xx Series)



7840 Turnout for 6042

7821 Quarterturn with cap for 6042

7888 Gooseneck for 6042

Volute with wreathed arm and carved cap option.



Cap Examples

7619-SLC
over
4000-350-M6C-VG4



7719-OLC
over
3410-350-R/UR



9319-LC
over
4010-300



Fittings with Square caps, Octagon caps and 3 size round caps.
(See page 241)



CUSTOM FITTINGS





CAPS

Choose from our standard shapes and sizes (shown below) or specify your requirements to complement your newels



Handrail Series	Handrail and Rail Fittings Configuration	Round Standard Cap	Round Large Cap	Round Extra Lg Cap	Octagon Large Cap	Square Large Cap
		Standard	Add prefix -LC	Add prefix -XLC	Add prefix -OLC	Add prefix -SLC
		Bottom Diameter	Bottom Diameter	Bottom Diameter	Bottom Flat to Flat	Bottom Square
684 Series	68410, 68419, 68420, 68421, 68421-135 & goosenecks*	3 1/4"	3 7/8"	6 1/2"	3 7/8"	4 1/2"
	68491/92/93/94	3 1/4"		- Custom size available -		
6B10 Series	7B10, 7B19, 7B20, 7B21, 7B21-135 & goosenecks*	3 1/4"	3 7/8"	6 1/2"	3 7/8"	4 1/2"
	7B91/92/93/94	3 1/4"		- Custom size available -		
6002 Series	600210, 600219, 600220, 600221, 600221-135 & gnecks*	3 1/2"	4 1/8"	6 3/4"	4 1/8"	4 3/4"
	600291/92/93/94	3 1/2"		- Custom size available -		
6010 Series	7010, 7019, 7020, 7021, 7021-135 & goosenecks*	2 3/4"	3 3/8"	6"	3 3/8"	4"
	7091/92/93/94	2 3/4"		- Custom size available -		
6039 Series	603910, 603919, 603920, 603921, 603921-135 & gnecks*	-	2 9/16" **	5 3/16" **	2 9/16" **	3" **
	7810, 7819, 7820, 7821, 7821-135 & goosenecks*	2 3/8"	3"	5 5/8"	3"	3 5/8"
6042 Series	7891/92/93/94	2 3/8"		- Custom size available -		
	7110, 7119, 7120, 7121, 7121-135 & goosenecks*	3 1/4"	3 7/8"	6 1/2"	3 7/8"	4 1/2"
6109 Series	7191/92/93/94	3 1/4"		- Custom size available -		
	7210, 7219, 7220, 7221, 7221-135 & goosenecks*	3 1/4"	3 7/8"	6 1/2"	3 7/8"	4 1/2"
6210 Series	7291/92/93/94	3 1/4"		- Custom size available -		
	7310, 7319, 7320, 7321, 7321-135 & goosenecks*	3 1/2"	4 1/8"	6 3/4"	4 1/8"	4 3/4"
6310 Series	7391/92/93/94	3 1/2"		- Custom size available -		
	7410, 7419, 7420, 7421, 7421-135 & goosenecks*	4"	4 5/8"	7 1/4"	4 5/8"	5 1/4"
6400 Series	7491/92/93/94	4"		- Custom size available -		
	7510, 7519, 7520, 7521, 7521-135 & goosenecks*	3 7/8"	4 1/2"	7 1/8"	4 1/2"	5 1/8"
6519 Series	7591/92/93/94	3 7/8"		- Custom size available -		
	9610, 9619, 9620, 9621, 9621-135 & goosenecks*	2 3/4"	3 3/8"	6"	3 3/8"	4"
6601 Series	9691/92/93/94	2 3/4"		- Custom size available -		
	7610, 7619, 7620, 7621, 7621-135 & goosenecks*	2 7/8"	3 1/2"	6 1/8"	3 1/2"	4 1/8"
6701 Series	7691/92/93/94	2 7/8"		- Custom size available -		
	7710, 7719, 7720, 7721, 7721-135 & goosenecks*	3 3/8"	4"	6 5/8"	4"	4 5/8"
6710 Series	7791/92/93/94	3 3/8"		- Custom size available -		
	7710W, 7719W, 7720W, 7721W, 7721W-135 & goosenecks*	3 1/2"	4 1/8"	6 3/4"	4 1/8"	4 3/4"
6710W Series (2 3/4")	7791W/92W/93W/94W	3 1/2"		- Custom size available -		
	7710G, 7719G, 7720G, 7721G, 7721G-135 & goosenecks*	3 3/4"	4 3/8"	7"	4 3/8"	5"
6710G Series (3")	7791G/92G/93G/94G	3 3/4"		- Custom size available -		
	7710K, 7719K, 7720K, 7721K, 7721K-135 & goosenecks*	4"	4 5/8"	7 1/4"	4 5/8"	5 1/4"
6710K Series (3 1/4")	7791K/92K/93K/94K	4"		- Custom size available -		
	7910, 7919, 7920, 7921, 7921-135 & goosenecks*	3 1/2"	4 1/8"	6 3/4"	4 1/8"	4 3/4"
6910 Series	7991/92/93/94	3 1/2"		- Custom size available -		
	8B10, 8B19, 8B20, 8B21, 8B21-135 & goosenecks*	3 5/8"	4 1/4"	6 7/8"	4 1/4"	4 7/8"
8000 Series	8B91/92/93/94	3 5/8"		- Custom size available -		
	9119L, 9120L, 9121L, 9121-135L & related goosenecks	3 1/4"	3 7/8"	6 1/2"	3 7/8"	4 1/2"
9100L Series	9191L/92L/93L/94L	3 1/4"		- Custom size available -		
	9219, 9220, 9221, 9221-135 & related goosenecks	3 1/2"	4 1/8"	6 3/4"	4 1/8"	4 3/4"
9200 Series	9291/92/93/94	3 1/2"		- Custom size available -		
	9310, 9319, 9320, 9321, 9321-135 & goosenecks*	-	2 9/16" **	5 3/16" **	2 9/16" **	3" **
9300 Series	9419, 9420, 9421, 9421-135 & related goosenecks	3 1/4"	3 7/8"	6 1/2"	3 7/8"	4 1/2"
	9491/92/93/94	3 1/4"		- Custom size available -		
9400 Series	9510, 9519, 9520, 9521, 9521-135 & goosenecks*	3 1/4"	3 7/8"	6 1/2"	3 7/8"	4 1/2"
	9591/92/93/94	3 1/4"		- Custom size available -		
9500 Series	9710, 9719, 9720, 9721, 9721-135 & goosenecks*	3 3/4"	4 3/8"	7"	4 3/8"	5"
	9791/92/93/94	3 3/4"		- Custom size available -		
9700 Series	C210, C219, C220, C221, C221-135 & goosenecks*	3 3/4"	4 3/8"	7"	4 3/8"	5"
	C291/92/93/94	3 3/4"		- Custom size available -		
C2 Series	C310, C319, C320, C321, C321-135 & goosenecks*	2 3/4"	3 3/8"	6"	3 3/8"	4"
	C391/92/93/94	2 3/4"		- Custom size available -		
C3 Series	C510, C519, C520, C521, C521-135 & goosenecks*	4"	4 5/8"	7 1/4"	4 5/8"	5 1/4"
	C591/92/93/94	4"		- Custom size available -		
C5 Series Custom						

*Related Goosenecks: xx60, xx60-135, xx65, xx65-135, xx81, xx81-135, xx86, xx86-135, xx88, xx97

** Maximum newel top (6039 & 9300 Series)



► Ordering Example: 9522-LP175

95 22-L P175

Offset Left Hand for
9500 rail with 1 3/4" plow

► Ordering Example: 7720

77 20

Tandem Cap for
6710 rail unplowed

684	7B	6002	70	6039	78	71	72	73	74	75	96
P125	P125	P125	P125	call		P125	P125	P125	P125	P125	P125
P175	P175	P175		call		P175	P175	P175	P175	P175	P125

Square Caps with V-cut arms

Square Caps



Square Cap
4" x 4" minimum
8 1/2" x 8 1/2" maximum
(bottom flat measurement)

17



Square Cap
One V-cut arm

17-1



Square Cap
Two V-cut arms
opposite sides

17-2180

Square Caps: 4" x 4" minimum
8 1/2" x 8 1/2" maximum
(bottom flat measurement)



Top view of
Square Cap
with V-cut
Arm



Square Cap
Two V-cut arms
adjacent sides

17-290



Square Cap
Three V-cut arms

17-3

Vertical Volutes (not available plowed)

Available for all Standard rail profiles, custom profiles and your unique novelty designs



70 38



71 38




72 38



73 38



74 38




75 38



76 38



77 38



79 38



7B 38



93 38



95 38



96 38



97 38



► Custom plowed sizes available, please call with your requirements.

*6710W = 77xxW
*6710G = 77xxG
*6710K = 77xxK

6701	6710*	6910	8000	9100L	9200	9300	9400	9500	9700	C2	C3	
76	77	79	8B	91	L	92	93	94	95	97	C2	C3
P125	P125	P125	P125	P125	P125	call	P125	P125	P125	P125	P125	P125
	P175	P175	P175	P175	P175	P175	P175	P175	P175	P175	P175	P175

Vertical Volutes - Custom (not available plowed)

A Bit Classical. A Bit Whimsical.

The perfect beginning point to any handrail that deserves some personal flair.

We can make the one you fancy.



VV-DRAG



VV-EAG



VV-HOR



VV-LAB



VV-LEAF



VV-LION



► Ordering Example: 9522-LP175

95 22-L P175

Offset Left Hand for 9500 rail with 1 3/4" plow


► Ordering Example: 7720

77 20

Tandem Cap for 6710 rail unplowed


684	6B10	6002	6010	6039	6042	6109	6210	6310	6400	6519	6601
7B	7B	6002	70	6039	78	71	72	73	74	75	96
P125	P125	P125	P125	call		P125	P125	P125	P125	P125	P125
P175	P175	P175		call		P175	P175	P175	P175	P175	P125

Volutes and Turnouts




3" centerline of rail to centerline of newel

Turnouts (short)*
Left Hand 41 Right Hand 46



4 3/4" centerline of rail to centerline of newel

Turnouts (long)*
Left Hand 40 Right Hand 45



5" centerline of rail to centerline of newel

Volutes*
Left Hand 30 Right Hand 35

Climbing Volutes
 31 36



Vertical Volutes

38

See pages 242-243 for other styles

*60° upeasings are standard but may be ordered with 90° upeasing by adding 90 to the suffix of the part number. Example: 7040-90

Generic & Customized Climbing Volutes. We'll manufacture climbing volutes that have been customized to your specific stairway. No more bumps or awkward transitions from your climbing volute to your rail. See page 236 for more details.

Volute and Turnout Chart to determine maximum recommended top of Newel width

684 Series	
68430/35	2 1/16"
68440/45, 68441/46	2 1/16"
6B10 Series	
7B30/35	2 7/8"
7B40/45, 7B41/46	2 7/8"
6002 Series	
600230/35	3 1/8"
600240/45, 600241/46	3 1/8"
6010 Series	
7030/35	2 1/16"
7040/45, 7041/46	2 3/8"
6039 Series	
603930/35	Custom
603940/45, 603941/46	Custom
6042 Series	
7830/35	Custom
7840/45, 7841/46	2"
6109 Series	
7130/35	2 7/8"
7140/45, 7141/46	2 7/8"

6210 Series	
7230/35	2 1/16"
7240/45, 7241/46	2 1/16"
6310 Series	
7330/35	3 1/8"
7340/45, 7341/46	3 1/8"
6400 Series	
7430/35	3 5/8"
7440/45, 7441/46	3 5/8"
6519 Series	
7530/35	3 1/2"
7540/45, 7541/46	3 1/2"
6601 Series	
9630/35	2 1/16"
9640/45, 9641/46	2 3/8"
6701 Series	
7630/35	2 1/2"
7640/45, 7641/46	2 1/2"
6710 Series	
7730/35	3"
7740/45, 7741/46	3"

6710W (2-3/4) Series	
7730W/35W	3 1/8"
7740W/45W, 7741W/46W	3 1/8"
6710G (3) Series	
7730G/35G	3 3/8"
7740G/45G, 7741G/46G	3 3/8"
6710K (3-1/4) Series	
7730K/35K	3 5/8"
7740K/45K, 7741K/46K	3 5/8"
6910 Series	
7930/35	3 1/8"
7940/45, 7941/46	3 1/8"
8000 Series	
8B30/35	3 1/4"
8B40/45, 8B41/46	3 1/4"
9100L Series	
9130L/35L	2 1/16"
9140L/45L, 9141L/46L	2 1/16"
9200 Series	
9230/35	3 1/8"
9240/45, 9241/46	3 1/8"

9300 Series	
9330/35	Custom
9340/45, 9341/46	Custom
9400 Series	
9430/35	2 1/16"
9440/45, 9441/46	2 1/16"
9500 Series	
9530/35	2 7/8"
9540/45, 9541/46	2 7/8"
9700 Series	
9730/35	3 3/8"
9740/45, 9741/46	3 3/8"
C2 Series	
C230/35	3 3/8"
C240/45, C241/46	3 3/8"
C3 Series	
C330/35	2 3/8"
C340/45, C341/46	2 3/8"
C5 Series Custom	
C530/35	3 5/8"
C540/45, C541/46	3 5/8"



*6710W = 77xxW
*6710G = 77xxG
*6710K = 77xxK


► Custom plowed sizes available, please call with your requirements.

76	77	79	8B	91	92	93	94	95	97	C2	C3
P125	P125 P175	P125 P175	P125 P175	P125 P175	P125 P175	call P175	P125 P175	P125 P175	P125 P175	P125 P175	P125

Easings

Customize your Caps

Medallion




10




Starting Easing - Returned End*

15



Up easing

12



90° Up easing

14-90

Mortgage Button




*60° up easings are standard but may be ordered with 90° up easing by adding 90 to the suffix of the part number.
Example: 7010-90



Overhand Easing

13



Overhand Easing - Returned End

16

Level Fittings - for Fittings with Caps, see Cap options on page 241



Opening Cap

19



Tandem Cap

20



Returned End

09



Straight Returned End

09S



Level 135° Turn with Cap (1/8 Turn)

21-135



Level 135° Turn (1/8 Turn)

11-135



Level Quarterturn

11



Quarterturn with Cap

21



Coped End ▼

08



Straight Coped End ▼

08S



5" Offset LH

22-L




5" Offset RH

22-R



Plain Cap


18



Pictured is the 6010 rail system with a level quarterturn, model 7011, attached to an 7027 oval rosette wall plate.

▼ Compatible Rail Series:
70 73 75 79
72 74 77

Coped arms are approximately 6 1/2" depending upon rail profile





► Ordering Example: 9522-LP175

95 22-L P175

Offset Left Hand for 9500 rail with 1 3/4" plow

► Ordering Example: 7720

77 20

Tandem Cap for 6710 rail unplowed

684	7B	6002	70	6039	78	71	72	73	74	75	96
P125	P125	P125	P125	call		P125	P125	P125	P125	P125	P125
P175	P175	P175		call		P175	P175	P175	P175	P175	P125

Goosenecks

Quarterturn Gooseneck (Up)

All Oak Pointe Goosenecks come with a loose up easing and may be used for 1 or 2 rise applications, for 3 or 4 rise applications please call for quote.



May be used with 1 or 2 rise applications

May be used with 1 or 2 rise applications

Left Hand 50

Right Hand 55

Left Hand 60

Right Hand 65

180° Gooseneck (Flat) May be used with 1 or 2 rise applications. Centerline to centerline of rail is 5 1/2".

Radius no Cap

no Cap

1st Turn Cap

2nd Turn Cap

Left Hand 90R

Right Hand 95R

Left Hand 90

Right Hand 95

Left Hand 91

Right Hand 92

Left Hand 93

Right Hand 94



*6710W = 77xxLW
*6710G = 77xxG
*6710K = 77xxK

► Custom plowed sizes available, please call with your requirements.

76	77	79	8B	91	92	93	94	95	97	C2	C3
P125	P125 P175	P125 P175	P125 P175	P125 P175	P125 P175	call P175	P125 P175	P125 P175	P125 P175	P125 P175	P125

For Fittings with Caps **See cap options on page 241**

Quarterturn Gooseneck (Flat)

May be used with 1 or 2 rise applications.

Left Hand **71** Right Hand **76** Left Hand **81** Right Hand **86**

Straight Gooseneck


May be used with 1 or 2 rise applications.

Left Hand **88** Right Hand **97** Right Hand **99**

135° Gooseneck May be used with 1 or 2 rise applications.

Also available without Caps - use model # in black boxes below

Left Hand **60-135** Right Hand **65-135** Left Hand **81-135** Right Hand **86-135**
 Left Hand **50-135** Right Hand **55-135** Left Hand **71-135** Right Hand **76-135**





OAK POINTE

WHERE TRADITION AND INNOVATION CREATE EXCELLENCE

96 NEW PACE ROAD
NEWCOMERSTOWN
OHIO 43832

P 740.498.9820
F 740.498.9821

GENERAL INQUIRY

INFO@STAIRPARTSANDMORE.COM

QUOTE REQUESTS

QUOTES@STAIRPARTSANDMORE.COM

SUBMIT ORDERS

ORDERS@STAIRPARTSANDMORE.COM

Connect with us on:

