



OAK POINTE

# CAROLINA SERIES

CLASSIC COLLECTION



---

WHERE TRADITION AND INNOVATION CREATE EXCELLENCE


---

**CAROLINA SERIES**  
CLASSIC COLLECTION

Reeded (R)  
milling  
option shown



Kitchen Island Column



Balusters



Table Leg


Bun Foot



Post to Post Newel



Fireplace Column



MADE IN THE USA ★★ ★

**Suggested Handrails:** To complement Carolina Series stair parts. For more selections of flat bottom and plowed handrails, see pages 263-265 in our catalog Edition 3.0.




6210



6310



6400




6519



6710




6910




Post to Post  
Estate Newel

3050-550




Pin Top  
Estate Newel

3016-550




Pin Top  
Rake Newel

3013-350




Pin Top  
Newel

Model	(L)	(X)
3010-350	43"	15"
3014-350	50"	22"
3015-350	58"	30"
3017-350	65"	37"
3018-350	73"	45"




Post to Post  
Newel

Model	(L)	(X)
3040-350	48"	15"
3042-350	58"	25"
3053-350	62"	29"
3055-350	73"	40"
3058-350	78"	45"



2nd Floor  
Landing Newel

3045-350



Intermediate  
Landing Newel

3046-350

NOTE! The following models are not available in Square or Octagon milling options:

3013	3058
3016	
3050	


Post to Post Newels shown with Acorn Top (AT). Upgrade to Acorn Top Etched (ATX). See all Post Top options on pages 300-302 in our catalog Edition 3.0.



### Baluster Dimensions



2015	(L)	(X)
-175-34	34"	6"
-175-38	38"	10"
-175-42	42"	14"



2005	(L)	(X)
-175-34	34"	7"
-175-38	38"	11"
-175-42	42"	15"

#### Wooden Dowel Pin

The bottom of each 3 length baluster is drilled and shipped with a loose wooden pin for installation. Optional steel dowel screws also available. Order #3076-100PK




Milling Options	Barley 2	Fluted	Octagon	Reeded	Rope Twist (LH)	Rope Twist (RH)	Rope Twist 1	Square	Twist	Twist/ Urn Fluted	Urn Fluted
Code	BAR2	F	OCT	R	RTLH	RTRH	RT1	SQ	TW	TW/UF	UF

OCT

### 2015-175 Pin Top Balusters (1 3/4" wide)

SQ



Plain -BAR2 -F -OCT -R -RTRH -RT1 -TW -TW/UF -UF


### 2005-175 Square Top Balusters (1 3/4" wide)



Plain -BAR2 -F -OCT -R -RTRH -RT1 -SQ -TW -TW/UF -UF



2015-5L	(L)	(Z)
-175-31	31"	22 5/8"
-175-34	34"	25 5/8"
-175-36	36"	27 5/8"
-175-39	39"	30 5/8"
-175-42	42"	33 5/8"




2005-5L	(L)	(T)	(Z)
-175-31	31"	6 5/8"	16"
-175-34	34"	7 5/8"	18"
-175-36	36"	7 5/8"	20"
-175-39	39"	7 5/8"	23"
-175-42	42"	7 5/8"	26"



**CAROLINA SERIES**  
CLASSIC COLLECTION

**Legs and Island Columns**



Island Leg Example 102005-350-BAR2	Island Column 12005-350 12005-500	Bar Leg (Footed) 122005-350	Island Leg (Footed) 102005-350 102005-500	Table Leg (Footed) 92005-350	Coffee Table Leg (Footed) 82005-275	End Table Leg (Footed) 72005-225	End Table Leg (w/stretcher block) 62005-225
---------------------------------------	---	--------------------------------	---	---------------------------------	--	-------------------------------------	--

**Bun Feet**



**Carolina Series Bun Feet**

For more Bun Feet selections, see pages 298-299 in our catalog Edition 3.0.

MILLING OPTIONS	CODE	Island Column	Legs	Bun Feet	Interior Post	Fireplace Column	Decorative Column
Barley 2	BAR2	3	3		3	3	3
Fluted	F	3	3	3	3	3	3
Fluted Sunburst	F1			3			
Octagon	OCT	3					
Reeded	R	3	3	3	3	3	3
Rope Twist	RTLH	3	3		3	3	3
	RTRH	3	3		3	3	3
Rope Twist 1	RT1	3	3		3	3	3
Square	SQ	3					
Twist	TW	3	3	3	3	3	3
Urn Fluted	UF	3	3		3	3	3

**Columns, Legs and Bun Feet Milling Options**


Milling Options Details	Barley 2	Fluted	Octagon	Reeded	Rope Twist LH	Rope Twist RH	Rope Twist 1	Square	Twist	Urn Fluted
Name	Barley 2	Fluted	Octagon	Reeded	Rope Twist LH	Rope Twist RH	Rope Twist 1	Square	Twist	Urn Fluted
Code	BAR2	F	OCT	R	RTLH	RTRH	RT1	SQ	TW	UF



UF

Add the Urn Fluted to any Carolina part by specifying the suffix UF.

### Interior Posts




Standard post size is 5 1/2" wide and 96" high.



Interior Post Shown Plain  
45400-550

Our columns and posts have not been tested for their weight bearing ability and therefore are sold as NON-weight bearing.

### Fireplace Columns




Top and bottom blocks are round




Fireplace Column Example  
25400-450-TW2

### Tuscan Base

used for Cap and Base (optional)



Model No. BASETUS450



Fireplace columns shown with Twist 2 milling option.

See pages 316-319 in our catalog Edition 3.0 for more Fireplace Columns

### Decorative Solid Round Columns



#### Decorative Solid Round Column Dimensions\*

Column Size	550	750	950
Bottom Dia. "A"	5 1/2"	7 1/2"	9 1/2"
Top Dia. "B"	5 1/2"	7 1/2"	9 1/2"
Round Bottom Block Height "P"	2"	2 3/8"	3 3/8"
Round Top Block Height "Q"	1 1/2"	2"	2 1/2"
Standard Lengths (including cap & base)	6' 7' 8'	6' 7' 8' 9'	6' 10'
Cap & Base Included	Attic Base with Tuscan Base for Cap		

\*Dimensions shown are after final field trimming of shaft bottom.

#### Base/Cap Dimensions

Tuscan Base Bottom Square Width "C"	9"	11"	13"
Attic Base Bottom Square Width "CC"	9"	11"	13"



Tuscan Base used for Cap



Attic Base

See page 312 in our catalog Edition 3.0 for all Base and Cap dimensions

7 1/2" x 96"  
Bristol Series Column with Cap and Attic Base Example

35400-750-96-RIB4



NOTE: These columns are manufactured from solid blanks with face and edge grain.

See pages 310-315 in our catalog Edition 3.0 for more Columns



OAK POINTE

## ORDINARY TO EXTRAORDINARY

STAIR PARTS, COLUMNS, AND OTHER MILLWORK

Stair Parts  
Iron Balusters  
Stainless Steel  
Cable & Glass Systems  
Table Legs, Pedestals & Bun Feet  
Island & Fireplace Columns  
Tapered & No Tapered Columns

Columns for any Application  
Finials & Carvings  
Corbels & Mouldings  
Novelty Items & Store Fixtures  
Custom & Large Turnings  
Interior & Exterior Applications  
... and MORE!



[STAIRPARTSANDMORE.COM](http://STAIRPARTSANDMORE.COM)

96 NEW PACE ROAD | NEWCOMERSTOWN, OHIO 43832

P 740.498.9820 | F 740.498.9821

[QUOTES@STAIRPARTSANDMORE.COM](mailto:QUOTES@STAIRPARTSANDMORE.COM) | [ORDERS@STAIRPARTSANDMORE.COM](mailto:ORDERS@STAIRPARTSANDMORE.COM)

WHERE TRADITION AND INNOVATION CREATE EXCELLENCE